nsport.com

SUMMERSIDE
TRANSPORT

(514) 355-6000

MANUTENTION DE MACHINERIE
RIGGING

HYSTER

⚠WARNING

Trained Operator Only



Read Operating Manual located on or near seat

Failure to follow operating, inspection, and maintenance instructions can cause serious injury or death!

HYSTER


LIFT TRUCK MODEL S155XL

Serial no. [redacted]

Attachment	100F-RC-01C CASCADE	
Approx weight	23200.	lb
Back tilt	6.0	degrees
Tire size	28X12X22 SMOOTH	FR
	22X8X16	RR
pressure	SOLID	FR
	SOLID	RR
Drive tread width	44.60	in

RATED CAPACITY WITH MAST VERTICAL AND EQUIPPED AS SHOWN

Load height 'A'	141.50	in	
Maximum load at load center 'B'			
10000.	lb	30.00	in
XXXXXX	lb	XXXXXX	in
XXXXXX	lb	XXXXXX	in



1304650


FEATHERLITE
weiz-it.de

ACK-POUR STUDS
















www.summersidetransport.com
HYST


CHOKER

WLL 90° 4300 LBS

45° LBS

LBS

CHOKER 3500

60° 90° GRADE 100








R32
YASKAWA

WL34
907
WL35
884
885
WL36
892/893
WL37
888/889
HYDRO
WL38
888/889
HYDRO
866/867
WITH S
ABB
R32
R33
LANBI
RITTAL
YASKAWA
+R
+R

WL34
907
WL35
884
885
WL36
892/893
WL37
WL38
WL39
862
866/867
WITH STUD
WL40
863
WL41
EMPTY BOX
ZF
WL42
MACHINED PARTS
HANDLING
WL43
MACHINED PARTS
HANDLING
YASKAWA
+RC1
+RM1
-XB1